

EAST - [lined duct:2]

File View Edit Tools Window Help

Pending

Active

L1: (110) (296/220.01).CCLS.

L2: (94) (296/216.09).CCLS.

L3: (1) ("6672638").PN.

L4: (1) ("6419308").PN.

L5: (1) ("6485094").PN.

L6: (5) ("1162627").PN.

L7: (186) (292/dig.5).CCLS.

L8: (6) ("4351561" | "4415189" | "4801173" | "4917415" | "5

L9: (1) 5957511.URPN.

L10: (132) B60J007/11.ipc.

Failed

(9260) 138/\$.ccls. and line\$

Saved

(5) (("5545361") or ("5799991") or ("5988713") or ("6165588

(7) (("5092512") or ("5124186") or ("5139297") or ("5219197

(6) (("4165113") or ("4221413") or ("4320913") or ("4856833

(5) (("5,092,512") or ("6,406,081") or ("5,799,991") or ("6

(1148) ((293/15) or (293/102) or (293/120-121) or (293/154)

(5) (("4,615,411") or ("4,347,277") or ("3,885,521") or ("5

(4) (("4592886") or ("6592069") or ("4329879") or ("4403933

(1) ("3934064").PN.

(1) ("20008201").PN.

Search

File

Browse

Queue

Gen

DBs

USPAT:DERW

Purds

Default operator

OR

Highlight all hit terms initially

B60J007/11.ipc.

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (80)

UDC

Queue

Trash

	Type	L#	Hits	Search Text	DBs	Time Stamp	Comment	Error
1	IS&R	L1	110	(296/220.01).CCLS.	USPA T; U	2004/10/0 6 09:33		
2	IS&R	L2	94	(296/216.09).CCLS.	USPA T; U	2004/10/0 6 09:35		
3	IS&R	L3	1	("6672638").PN.	USPA T; U	2004/10/0 6 09:36		
4	IS&R	L4	1	("6419308").PN.	USPA T; U	2004/10/0 6 09:37		
5	IS&R	L5	1	("6485094").PN.	USPA T; U	2004/10/0 6 09:41		
6	IS&R	L6	5	("1162627").PN.	DERW ENT	2004/10/0 6 09:47		
7	IS&R	L7	186	(292/dig.5).CCLS.	USPA T; U	2004/10/0 6 09:55		
8	BRS	L8	6	("4351561" "4415189" "4801173"	USPA T	2004/10/0 6 09:49		
9	BRS	L9	1	5957511.URPN.	USPA T	2004/10/0 6 09:50		
10	BRS	L10	132	B60J007/11.ipc.	USPA T; D	2004/10/0 6 09:55		

Ready

Best Available Copy



- ☐ Pending
- ☒ Active
 - L1: (110) (296/220.01).CCLS.
 - L2: (94) (296/216.09).CCLS.
 - L3: (1) ("6672638").PN.
 - L4: (1) ("6419308").PN.
 - L5: (1) ("6485094").PN.
 - L6: (5) ("1162627").PN.
 - L7: (186) (292/dig.5).CCLS.
 - L8: (6) ("4351561" | "4415189" | "4801173" | "4917415" | "5
 - L9: (1) 5957511.URPN.
 - L10: (132) B60J007/11.ipc.**
- ☐ Failed
 - (9260) 138/\$.ccls. and line\$
- ☐ Saved
 - (5) (("5545361") or ("5799991") or ("5988713") or ("6165588
 - (7) (("5092512") or ("5124186") or ("5139297") or ("5219197
 - (6) (("4165113") or ("4221413") or ("4320913") or ("4856833
 - (5) (("5,092,512") or ("6,406,081") or ("5,799,991") or ("6
 - (1148) ((293/15) or (293/102) or (293/120-121) or (293/154)
 - (5) (("4,615,411") or ("4,347,277") or ("3,885,521") or ("5
 - (4) (("4592886") or ("6592069") or ("4329879") or ("4403933
 - (1) ("3934064").PN.
 - (1) ("20008201").PN.

Search List Browse Queue Copy

DBs: USPAT/DERVE / Purds

Default operator: OR Highlight all hits initially

B60J007/11.ipc.

- ☐ Drafts
- ☐ Pending
- ☒ Active
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☒ Tagged: (30)**
- ☐ UDC
- ☐ Queue
- ☐ Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4964440	19901023	15	Ribbed pipe	138/122
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4780163	19881025	7	Method for lining pipeline	156/94
21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4272971	19810616	10	Reinforced tubular structure	464/181
22	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3907049	19750923	9	Lined pipe and method of making same	138/155
23	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6318795	20011120	7	Vibration preventing structure of tailgate i	296/207
24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6119306	20000919	24	Automotive deck lid bumper	16/86A
25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6088878	20000718	21	Height adjustable automotive deck lid bum	16/86A
26	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6039388	20000321	5	Hood overslam bumper for automobiles	296/207
27	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5482348	19960109	6	Vehicle hood support post member	296/207
28	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6507976	20030121	12	Damper device	16/82
29	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4653968	19870331	8	Adjustable abutment assembly	411/247
30	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5735511	19980407	8	Self-adjusting stop means for cushioning	267/140
31	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5950366	19990914	10	Seal structure for removable roof	49/484

EAST - [lined duct:2]

File View Edit Tools Window Help

Pending

Active

- L1: (110) (296/220.01).CCLS.
- L2: (94) (296/216.09).CCLS.
- L3: (1) ("6672638").PN.
- L4: (1) ("6419308").PN.
- L5: (1) ("6485094").PN.
- L6: (5) ("1162627").PN.
- L7: (186) (292/dig.5).CCLS.
- L8: (6) ("4351561" | "4415189" | "4801173" | "4917415" | "5
- L9: (1) 5957511.URPN.
- L10: (132) B60J007/11.ipc.**

Failed

- (9260) 138/\$.ccls. and line\$

Saved

- (5) (("5545361") or ("5799991") or ("5988713") or ("6165588
- (7) (("5092512") or ("5124186") or ("5139297") or ("5219197
- (6) (("4165113") or ("4221413") or ("4320913") or ("4856833
- (5) (("5,092,512") or ("6,406,081") or ("5,799,991") or ("6
- (1148) ((293/15) or (293/102) or (293/120-121) or (293/154)
- (5) (("4,615,411") or ("4,347,277") or ("3,885,521") or ("5
- (4) (("4592886") or ("6592069") or ("4329879") or ("4403933
- (1) ("3934064").PN.
- (1) ("20008201").PN.

Search List Browse Queue Clear

DBs: USPAT:DERWE Plurals

Default operator: OR Highlight all hit terms initially

B60J007/11.ipc.

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (80)

UDC

Queue

Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
32	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5725273 A	19980310	8	Vehicle roof assembly with removable and stor	296/218
33	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5513891 A	19960507	22	Removable roof accommodatind structure	296/37.
34	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5193874 A	19930316	10	T-top insert storage rack with locking mecha	296/37.
35	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5080428 A	19920114	8	Foldable roof assembly for vehicles having a T	296/218
36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4784431 A	19881115	11	Automobile roof structure	296/218
37	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4718710 A	19880112	17	Unit for storing demountable roof panel	296/37.
38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4717192 A	19880105	19	Unit for storing demountable roof panel	296/37.
39	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4715649 A	19871229	5	Locator and hold-down latch for removable veh	296/218
40	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4467944 A	19840828	6	Storage apparatus for automobile T top insert	224/42.
41	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4351560 A	19820928	12	Removable roof of a motor vehicle	296/218
42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4220368 A	19800902	4	Removable plastic roof panel	296/215
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4205875 A	19800603	6	Roof vent window	296/218
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3712665 A	19730123	7	LOCK FOR A REMOVABLE ROOF ATTACHMENT FOR VEH	296/218

Ready

NUM

Pending

Active

- L1: (110) (296/220.01).CCLS.
- L2: (94) (296/216.09).CCLS.
- L3: (1) ("6672638").PN.
- L4: (1) ("6419308").PN.
- L5: (1) ("6485094").PN.
- L6: (5) ("1162627").PN.
- L7: (186) (292/dig.5).CCLS.
- L8: (6) ("4351561" | "4415189" | "4801173" | "4917415" | "5
- L9: (1) 5957511.URPN.
- L10: (132) B60J007/11.ipc.

Failed

- (9260) 138/\$.ccls. and line\$

Saved

- (5) (("5545361") or ("5799991") or ("5988713") or ("6165588
- (7) (("5092512") or ("5124186") or ("5139297") or ("5219197
- (6) (("4165113") or ("4221413") or ("4320913") or ("4856833
- (5) (("5,092,512") or ("6,406,081") or ("5,799,991") or ("6
- (1148) ((293/15) or (293/102) or (293/120-121) or (293/154)
- (5) (("4,615,411") or ("4,347,277") or ("3,885,521") or ("5
- (4) (("4592886") or ("6592069") or ("4329879") or ("4403933
- (1) ("3934064").PN.
- (1) ("20008201").PN.

Search Edit Browse Queue Clear

DBs: USPAT:DERWE Purds

Default operator: OR Highlight all hits initially

B60J007/11.ipc.

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (80)

UDC

Queue

Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3712665	19730123	7	LOCK FOR A REMOVABLE	296/218
			A			ROOF ATTACHMENT FOR VEH	
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3635518	19720118	4	MOUNTING OF A ROOF	296/76
			A			ATTACHMENT IN THE FRONT	
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6375249	20020423	16	Body structure of a	296/178
			B1			mass transit vehicle	
47	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5041318	19910820	16	Composite structural	428/57
			A			member with integral lo	
48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6039390	20000321	48	Chromogenic window	296/211
			A			assembly construction a	
49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3815307	19740611	4	ROOF-TO-SIDEWALL UNIT	52/285.
			A			METHOD JOINT STRUCTURE	
50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2489751	19491129	6	Roof or covering	359/228
			A				
51	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2230439	19410204	4	Automobile body	296/211
			A			structure	
52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5205607	19930427	8	Automobile with	296/201
			A			removeable roof	
53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US RE32496	19870908	8	Removable roof panels	296/218
			E			for vehicles	
54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4830426	19890516	10	Latching arrangement	296/121
			A			for a top at the windsh	
55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3476437	19691104	7	TOP FOR MOTOR	296/218
			A			VEHICLES. ESPECIALLY FOR	
56	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6309007	20011030	16	Two-piece hardtop for a	296/103
			B1			sport utility vehicle	

EAST - [lined duct:2]

File View Edit Tools Window Help

Pending

Active

- L1: (110) (296/220.01).CCLS.
- L2: (94) (296/216.09).CCLS.
- L3: (1) ("6672638").PN.
- L4: (1) ("6419308").PN.
- L5: (1) ("6485094").PN.
- L6: (5) ("1162627").PN.
- L7: (186) (292/dig.5).CCLS.
- L8: (6) ("4351561" | "4415189" | "4801173" | "4917415" | "5
- L9: (1) 5957511.URPN.
- L10: (132) B60J007/11.ipc**

Failed

- (9260) 138/\$.ccls. and line\$

Saved

- (5) (("5545361") or ("5799991") or ("5988713") or ("6165588
- (7) (("5092512") or ("5124186") or ("5139297") or ("5219197
- (6) (("4165113") or ("4221413") or ("4320913") or ("4856833
- (5) (("5,092,512") or ("6,406,081") or ("5,799,991") or ("6
- (1148) ((293/15) or (293/102) or (293/120-121) or (293/154)
- (5) (("4,615,411") or ("4,347,277") or ("3,885,521") or ("5
- (4) (("4592886") or ("6592069") or ("4329879") or ("4403933
- (1) ("3934064").PN.
- (1) ("20008201").PN.

Search Submit Browse Queue Clear

DBs USRA/DERWE Burs

Default operator ORV Highlight all items initially

B60J007/11.ipc.

Drafts

Pending

Active

Failed

Saved

Favorites

Tagged (80)

UDC

Queue

Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
56	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6309007	20011030	16	Two-piece hardtop for a sport utility vehicle	296/103
57	<input type="checkbox"/>	<input checked="" type="checkbox"/>	B1 US 6062637	20000516	16	Sunroof for motor vehicles	296/216
58	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 6059356	20000509	7	Two part roof arrangement	296/218
59	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 6039391	20000321	9	Hatch roof attaching construction for a T-ba	296/218
60	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 5052743	19911001	9	Open-top type vehicle roof structure	296/210
61	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 5037146	19910806	5	Lock for a detachable vehicle body part, pref	292/202
62	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 4917415	19900417	10	Latching mechanism for a top of a vehicle, esp	292/113
63	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 4898410	19900206	10	Latching arrangement for a top	292/241
64	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 4133576	19790109	6	Hatch for vehicle roofs	296/218
65	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 4131970	19790102	9	Quick-release-hinge device	16/270
66	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 3603636	19710907	8	MOUNTING ARRANGEMENT FOR A VEHICLE BODY ROOF	296/218
67	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 2392874	19460115	5	TEXT NOT AVAILABLE	292/36
68	<input type="checkbox"/>	<input checked="" type="checkbox"/>	A US 5042869	19910827	12	Locking arrangement for a motor vehicle top	296/121

Ready

NUM


☐ Pending

☒ Active

☒ L1: (110) (296/220.01).CCLS.

☒ L2: (94) (296/216.09).CCLS.

☒ L3: (1) ("6672638").PN.

☒ L4: (1) ("6419308").PN.

☒ L5: (1) ("6485094").PN.

☒ L6: (5) ("1162627").PN.

☒ L7: (186) (292/dig.5).CCLS.

☒ L8: (6) ("4351561" | "4415189" | "4801173" | "4917415" | "5

☒ L9: (1) 5957511.URPN.

☒ L10: (132) B60J007/11.ipc.

☐ Failed

☒ (9260) 138/\$.ccls. and line\$

☐ Saved

☒ (5) (("5545361") or ("5799991") or ("5988713") or ("6165588

☒ (7) (("5092512") or ("5124186") or ("5139297") or ("5219197

☒ (6) (("4165113") or ("4221413") or ("4320913") or ("4856833

☒ (5) (("5,092,512") or ("6,406,081") or ("5,799,991") or ("6

☒ (1148) ((293/15) or (293/102) or (293/120-121) or (293/154)

☒ (5) (("4,615,411") or ("4,347,277") or ("3,885,521") or ("5

☒ (4) (("4592886") or ("6592069") or ("4329879") or ("4403933

☒ (1) ("3934064").PN.

☒ (1) ("20008201").PN.

☒ (1) ("2700042").PN.

 Default operator: ☒ Highlight all hit items initially

B60J007/11.ipc.

☐ Drafts

☐ Pending

☒ Active

☐ Failed

☐ Saved

☐ Favorites

☒ Tagged (80)

☐ UDC

☐ Queue

☐ Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
68	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5042869 A	19910827	12	Locking arrangement for a motor vehicle top	296/121
69	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4127302 A	19781128	7	Roof molding detachable sun roof panel for auto	296/218
70	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4115955 A	19780926	7	Panel and hinge assembly	49/261
71	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3974753 A	19760817	8	Automobile roof vent	296/218
72	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2022718 A	19351203	3	Latching means for quickly detachable roof	292/38
73	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6270154 B1	20010807	9	Motor vehicle roof with at least two raisable a	296/213
74	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3352600 A	19671114	5	Vehicle roof	296/216
75	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6746073 B2	20040608	11	Lock system for a cabriolet convertible t	296/121
76	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5957511 A	19990928	19	Closure for a passenger car cover	292/196
77	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5435615 A	19950725	9	Locking device for convertible tops	296/121
78	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5636894 A	19970610	6	Locking arrangement for the openable top of an	296/121
79	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3683993 A	19720815	6	OPENING ROOF FOR VEHICLE	160/37
80	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6189962 B	20010220	6	Top for sports vehicles. e.g. jeep-two	